

January 21, 2009

Commissioner for Patents
U.S. Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Re: U.S. Patent No. 7,449,023
Issued: November 11, 2008
Application No. 10/619,536
Inventors: Stephen B. Walulik, *et al.*
For: METHOD AND APPARATUS FOR THE EXTERNAL FIXATION
AND CORRECTION OF BONE
Our Ref. No.: 5490E-000285

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 CFR §1.323

Sir:

We have reviewed the above-identified patent and have found the following typographical errors in the patent which require correction.

The amendments to the specification indicated in the Preliminary Amendment (paragraphs [0011], [0055], [0058], [0061], [0064]) filed on October 9, 2003 and in the Amendment and Response to Office Action (paragraphs [0061], [0062]) filed on April 20, 2007, were not entered in the issued patent. Instead, the amended paragraphs were added again at the end of the detailed description starting at line 31, column 8, and ending at line 30, column 9. All of these lines should be deleted and the amendments to the specification entered in the original paragraphs, as described below:

- Column 1, Line 39, delete "a" before first.
- Column 2, Line 39, "parallel" should be --perpendicular--.
- Column 5, Line 46, "alternative" should be --alternatively--.
- Column 6, Line 19, "A" should be --An--.
- Column 6, Line 51, "postioned" should be --positioned--.
- Column 7, Line 25, "126" should be --129--.
- Column 7, Line 54, insert " "B" (shown in FIG. 6)" after axis.
- Column 7, Line 59, "segement" should be --segment--.

Column 7, Line 62, "similar" should be --similarly--.

Column 8, Line 1, insert "A" (shown in FIG. 6)" after axis.

Column 8, Line 21, insert "two" after the.

Column 8, Line 21, delete "and 146" after 122.

Column 8, Line 21, insert "shown in FIG. 5" after 122.

Column 8, Line 31 through Column 9, Line 30: completely delete lines starting from 31
of column 8 to line 30 of column 9.

A Certificate of Correction form is attached for approval. An electronic payment of \$100.00 is authorized through the electronic filing system. However, if Applicants have not paid a sufficient fee, please consider this authorization to charge Deposit Account No. 08-0750 for any underpayment.

Respectfully submitted,

By:  _____

Maria Comninou
Reg. No. 44,626

Stephen T. Olson
Reg. No. 36,626

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: **7,449,023**

APPLICATION NO: 10/619,536

DATED: November 11, 2008

INVENTOR(S): Stephen B. Walulik, *et al.*

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 39, delete "a" before first.

Column 2

Line 39, "parallel" should be --perpendicular--.

Column 5

Line 46, "alternative" should be --alternatively--.

Column 6

Line 19, "A" should be --An--.

Column 6

Line 51, "positioned" should be --positioned--.

Column 7

Line 25, "126" should be --129--.

Column 7

Line 54, insert "B" (shown in FIG. 6) after axis.

Column 7

Line 59, "segement" should be --segment--.

MAILING ADDRESS OF SENDER: Stephen T. Olson
Maria Comninou
Harness, Dickey & Pierce, P.L.C.
P.O. Box 828
Bloomfield Hills, MI 48304

PATENT NO. **7,449,023**

Page 1 of 2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: **7,449,023**

APPLICATION NO: 10/619,536

DATED: November 11, 2008

INVENTOR(S): Stephen B. Walulik, *et al.*

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 62, "similar" should be --similarly--.

Column 8

Line 1, insert " "A" (shown in FIG. 6) " after axis.

Column 8

Line 21, insert "two" after the.

Column 8

Line 21, delete "and 146" after 122.

Column 8

Line 21, insert "shown in FIG. 5" after 122.

Column 8

Line 31 through Column 9, Line 30: completely delete lines starting from 31 of column 8 to line 30 of column 9.

MAILING ADDRESS OF SENDER: Stephen T. Olson
Maria Comninou
Harness, Dickey & Pierce, P.L.C.
P.O. Box 828
Bloomfield Hills, MI 48303

PATENT NO. **7,449,023**

Page 2 of 2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.